

BINGO

Hormonal methods	HPV	Condom	Bacterial infection	Outbreak
Low risk	Abstinence	Breast Milk	Chlamydia or Gonorrhea	Blood
Skin to Skin Contact	Hurts to Pee	BINGO Free Space	High risk	Semen
Viral infection	Hepatitis	Pubic Lice	No risk	Herpes
AIDS	Dental dam	Syphilis	Symptoms	Parasitic infection

BINGO

Low risk	Dental dam	High risk	HIV	Chlamydia or Gonorrhea
Blood test	Hurts to Pee	Viral infection	Abstinence	Symptoms
Pubic Lice	Syphilis	BINGO Free Space	Bacterial infection	Skin to Skin Contact
Breast Milk	Semen	AIDS	Herpes	Blood
HPV	Hepatitis	Scabies	Outbreak	Parasitic infection

BINGO

Syphilis	HIV	High risk	Symptoms	HPV
Vaginal fluid	Condom	Hormonal methods	Skin to Skin Contact	Low risk
Abstinence	Semen	BINGO Free Space	Outbreak	Pubic Lice
Bacterial infection	Herpes	Hurts to Pee	Blood test	Blood
AIDS	Dental dam	Breast Milk	Viral infection	Chlamydia or Gonorrhea

BINGO

Hormonal methods	Breast Milk	Viral infection	Chlamydia or Gonorrhea	Pubic Lice
Parasitic infection	Bacterial infection	Herpes	Scabies	Low risk
Hurts to Pee	No risk	BINGO Free Space	Symptoms	Vaginal fluid
Semen	Blood	Blood test	Dental dam	Hepatitis
AIDS	Syphilis	Abstinence	Skin to Skin Contact	Outbreak

BINGO

Low risk	Syphilis	Blood	Breast Milk	Viral infection
Skin to Skin Contact	Outbreak	Abstinence	HIV	Bacterial infection
Hurts to Pee	Semen	BINGO Free Space	Vaginal fluid	Parasitic infection
Scabies	Hepatitis	Chlamydia or Gonorrhea	Condom	Pubic Lice
AIDS	Blood test	No risk	Symptoms	Herpes

BINGO

Breast Milk	Viral infection	Hormonal methods	Abstinence	No risk
AIDS	Semen	Blood	Scabies	Bacterial infection
Herpes	HPV	BINGO Free Space	Blood test	Chlamydia or Gonorrhea
Outbreak	Dental dam	Condom	Vaginal fluid	Syphilis
HIV	Skin to Skin Contact	Hurts to Pee	Parasitic infection	Low risk

BINGO

Hormonal methods	Blood test	Syphilis	HIV	HPV
Skin to Skin Contact	High risk	Symptoms	AIDS	Condom
Breast Milk	Chlamydia or Gonorrhea	BINGO Free Space	Vaginal fluid	Outbreak
Herpes	Pubic Lice	Parasitic infection	Blood	Abstinence
Low risk	Semen	Dental dam	Scabies	Bacterial infection

BINGO

Hurts to Pee	Viral infection	High risk	Scabies	Low risk
Chlamydia or Gonorrhea	HPV	Parasitic infection	Vaginal fluid	Abstinence
Outbreak	Blood test	BINGO Free Space	Breast Milk	Pubic Lice
Hormonal methods	Semen	Bacterial infection	AIDS	HIV
Blood	No risk	Condom	Hepatitis	Symptoms

BINGO

Parasitic infection	Dental dam	AIDS	Viral infection	Bacterial infection
Hepatitis	Outbreak	Abstinence	HIV	Semen
Blood	Condom	BINGO Free Space	Vaginal fluid	Scabies
Herpes	Skin to Skin Contact	Chlamydia or Gonorrhea	HPV	Hurts to Pee
Pubic Lice	No risk	Syphilis	Low risk	Breast Milk

BINGO

Breast Milk	Hurts to Pee	Low risk	AIDS	Outbreak
No risk	HPV	Scabies	Dental dam	Blood test
Hormonal methods	Symptoms	BINGO Free Space	Viral infection	Parasitic infection
Chlamydia or Gonorrhea	Semen	Herpes	Syphilis	Condom
Blood	HIV	Bacterial infection	Abstinence	Hepatitis

BINGO

HIV	Hormonal methods	Blood test	No risk	Pubic Lice
Syphilis	Outbreak	Blood	Hurts to Pee	Dental dam
Scabies	Hepatitis	BINGO Free Space	Semen	High risk
Parasitic infection	Symptoms	Condom	Low risk	Herpes
Chlamydia or Gonorrhea	Viral infection	Abstinence	HPV	Vaginal fluid

BINGO

Skin to Skin Contact	HIV	Vaginal fluid	Chlamydia or Gonorrhea	Hepatitis
Pubic Lice	Dental dam	Herpes	Low risk	Abstinence
Blood test	HPV	BINGO Free Space	Hormonal methods	Parasitic infection
Bacterial infection	Syphilis	Hurts to Pee	Condom	Symptoms
No risk	Scabies	Breast Milk	High risk	Viral infection

BINGO

Abstinence	Low risk	HIV	Blood	Bacterial infection
Syphilis	Viral infection	Hurts to Pee	Pubic Lice	Chlamydia or Gonorrhea
Dental dam	Condom	BINGO Free Space	Vaginal fluid	Breast Milk
High risk	Skin to Skin Contact	Outbreak	Symptoms	Hormonal methods
No risk	Blood test	Semen	Hepatitis	Herpes

BINGO

Skin to Skin Contact	Low risk	Vaginal fluid	No risk	HPV
Blood	Outbreak	Hormonal methods	Breast Milk	Hurts to Pee
Syphilis	Scabies	BINGO Free Space	Pubic Lice	Abstinence
Symptoms	Viral infection	HIV	Blood test	Hepatitis
Parasitic infection	Chlamydia or Gonorrhea	High risk	Bacterial infection	Semen

BINGO

HIV	Blood test	Dental dam	Parasitic infection	Herpes
Semen	Skin to Skin Contact	Blood	Syphilis	Hepatitis
Vaginal fluid	Hurts to Pee	BINGO Free Space	Hormonal methods	Condom
Breast Milk	HPV	Outbreak	Abstinence	Scabies
Viral infection	No risk	Bacterial infection	Chlamydia or Gonorrhea	Pubic Lice

BINGO

Abstinence	Bacterial infection	Syphilis	Vaginal fluid	Hormonal methods
Scabies	Parasitic infection	Blood test	AIDS	Breast Milk
No risk	Symptoms	BINGO Free Space	Low risk	Chlamydia or Gonorrhea
Blood	HIV	HPV	Semen	Hurts to Pee
Pubic Lice	Outbreak	Viral infection	Dental dam	Skin to Skin Contact

BINGO

Condom	Breast Milk	Vaginal fluid	Low risk	Chlamydia or Gonorrhea
Syphilis	Semen	Symptoms	Blood	Hepatitis
Dental dam	Abstinence	BINGO Free Space	Pubic Lice	Hormonal methods
HIV	Scabies	Herpes	Outbreak	Skin to Skin Contact
Bacterial infection	Parasitic infection	HPV	Hurts to Pee	Blood test

BINGO

Semen	Herpes	Syphilis	Skin to Skin Contact	Breast Milk
No risk	Bacterial infection	Hepatitis	AIDS	HIV
Viral infection	Hormonal methods	BINGO Free Space	Symptoms	Vaginal fluid
Condom	Parasitic infection	Blood test	Abstinence	High risk
Low risk	Pubic Lice	HPV	Outbreak	Blood

BINGO

Outbreak	Abstinence	Vaginal fluid	Herpes	Parasitic infection
HIV	Semen	Viral infection	Symptoms	High risk
Scabies	Dental dam	BINGO Free Space	Blood	Blood test
AIDS	Breast Milk	Condom	Syphilis	Hepatitis
Hormonal methods	Bacterial infection	Hurts to Pee	Pubic Lice	Skin to Skin Contact

BINGO

Pubic Lice	Chlamydia or Gonorrhea	Bacterial infection	HIV	Symptoms
Low risk	Abstinence	Viral infection	Breast Milk	Semen
Blood	Scabies	BINGO Free Space	AIDS	High risk
Syphilis	Blood test	Hurts to Pee	Outbreak	HPV
Hormonal methods	Herpes	Hepatitis	Vaginal fluid	Parasitic infection

BINGO

Symptoms	Pubic Lice	Vaginal fluid	High risk	Parasitic infection
Syphilis	Outbreak	Dental dam	No risk	Hepatitis
Condom	Blood	BINGO Free Space	Breast Milk	Bacterial infection
Abstinence	AIDS	Chlamydia or Gonorrhea	Skin to Skin Contact	Blood test
HPV	Low risk	Herpes	Hormonal methods	Viral infection

BINGO

Syphilis	Hurts to Pee	Blood test	No risk	Hepatitis
Scabies	High risk	AIDS	HPV	Hormonal methods
Chlamydia or Gonorrhea	Semen	BINGO Free Space	Breast Milk	Herpes
Abstinence	Condom	Dental dam	Vaginal fluid	Skin to Skin Contact
Outbreak	Symptoms	Blood	Viral infection	Bacterial infection

BINGO

Semen	Outbreak	Pubic Lice	Symptoms	Syphilis
Skin to Skin Contact	AIDS	Blood	Bacterial infection	Blood test
HIV	High risk	BINGO Free Space	Hormonal methods	Abstinence
No risk	Viral infection	Vaginal fluid	Scabies	Chlamydia or Gonorrhea
Dental dam	Condom	Hurts to Pee	Low risk	Hepatitis

BINGO

Scabies	Breast Milk	Semen	Herpes	AIDS
Blood	No risk	Hurts to Pee	Blood test	Outbreak
HPV	Chlamydia or Gonorrhea	BINGO Free Space	Bacterial infection	HIV
High risk	Syphilis	Hepatitis	Dental dam	Symptoms
Abstinence	Low risk	Pubic Lice	Viral infection	Hormonal methods

BINGO

Bacterial infection	Scabies	Skin to Skin Contact	Viral infection	HPV
Outbreak	Dental dam	HIV	Hurts to Pee	Syphilis
Parasitic infection	Low risk	BINGO Free Space	Hormonal methods	Pubic Lice
Herpes	AIDS	High risk	Chlamydia or Gonorrhea	Blood test
No risk	Semen	Breast Milk	Abstinence	Vaginal fluid

BINGO

Hormonal methods	Semen	HPV	Blood test	AIDS
Breast Milk	Chlamydia or Gonorrhea	Hurts to Pee	Outbreak	Low risk
Pubic Lice	Syphilis	BINGO Free Space	Herpes	Bacterial infection
Hepatitis	Scabies	Viral infection	Dental dam	Symptoms
Abstinence	High risk	HIV	No risk	Parasitic infection

BINGO

Hormonal methods	Viral infection	Outbreak	Abstinence	Parasitic infection
Semen	Condom	Syphilis	HIV	AIDS
Vaginal fluid	Skin to Skin Contact	BINGO Free Space	Hepatitis	Scabies
High risk	Breast Milk	Blood test	No risk	Hurts to Pee
HPV	Chlamydia or Gonorrhea	Symptoms	Low risk	Herpes

BINGO

Symptoms	Chlamydia or Gonorrhea	Bacterial infection	Hormonal methods	Outbreak
Hurts to Pee	Condom	Semen	Hepatitis	No risk
Syphilis	Herpes	BINGO Free Space	AIDS	Viral infection
Breast Milk	Blood test	Skin to Skin Contact	Pubic Lice	HPV
Abstinence	Blood	HIV	Scabies	High risk

BINGO

High risk	Bacterial infection	Outbreak	Low risk	AIDS
Blood	Hormonal methods	Condom	Blood test	Symptoms
Syphilis	Pubic Lice	BINGO Free Space	Hurts to Pee	Dental dam
Abstinence	Skin to Skin Contact	Semen	Vaginal fluid	HIV
No risk	Hepatitis	Herpes	Parasitic infection	Chlamydia or Gonorrhea

BINGO

Chlamydia or Gonorrhea	Syphilis	HPV	No risk	Skin to Skin Contact
Low risk	Dental dam	Blood test	Scabies	Bacterial infection
Parasitic infection	Vaginal fluid	BINGO Free Space	Viral infection	Semen
Hepatitis	Pubic Lice	Breast Milk	Abstinence	Hormonal methods
Blood	Condom	Symptoms	Hurts to Pee	HIV