

Aercoustics Engineering Ltd. 1004 Middlegate Road, Suite 1100 Mississauga, ON L4Y 0G1

Tel: 416-249-3361 Fax 416-249-3613 aercoustics.com

NOISE IMPACT STUDY - Project: 17132.02

Law Quarry Extension **Noise Impact Study** Wainfleet, ON

Prepared for:

Waterford Group 70 Ewart Ave. RR#8 Brantford, ON

Prepared by:

Kohl Clark, B.Eng.,

PROFESSION Mav D. R. FLAKE 100166100 Derek Flake, M.A.Sc., P.Eng OVINCE OF O

May 26, 2022



Revision History

| Version | Description | Author | Reviewed | Date |
|---------|----------------|--------|----------|--------------|
| | Initial Report | KC | DF | May 26, 2022 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Important Notice and Disclaimer

This report was prepared by Aercoustics Engineering Limited (Aercoustics) solely for the client identified above and is to be used exclusively for the purposes set out in the report. The material in this report reflects the judgment of Aercoustics based on information available to them at the time of preparation. Unless manifestly incorrect, Aercoustics assumes information provided by others is accurate. Changed conditions or information occurring or becoming known after the date of this report could affect the results and conclusions presented. Unless otherwise required by law or regulation, this report shall not be shared with any Third Party without the express written consent of Aercoustics. Aercoustics accepts no responsibility for damages, if any, suffered by any Third Party which makes use of the results and conclusions presented in this report.



Table of Contents

| 1 | Introduction | 1 |
|---|-----------------------------------|----|
| 2 | Site Description | 1 |
| 3 | Noise Criteria | 2 |
| 4 | Aggregate Quarry Operations | 4 |
| 5 | Noise Prediction and Controls | 6 |
| 6 | Truck Traffic Noise on Haul Route | 10 |
| 7 | Conclusion | 10 |

Appendix A

Noise Control Recommendations

Appendix B

Sample Road Traffic Calculations

Appendix C

Sample Stationary Noise Calculations

Appendix D

Qualifications of the Authors



1 Introduction

Waterford Group is applying for a Category 4 Class "A" licence for the proposed Law Quarry Extension located at part of Lots 6 and 7, Concession 2, Township of Wainfleet, Regional Municipality of Niagara, Ontario. The proposed extraction area consists of approximately 76.5 Hectares (HA).

Aercoustics Engineering Limited (Aercoustics) has been retained to prepare a Noise Impact Study for the proposed Law Quarry Extension. The purpose of this study is to provide noise control recommendations for the aggregate quarry operations to satisfy the Ministry of the Environment, Conservation, and Parks (MECP) noise guidelines.

Sound level limits for the aggregate quarry noise on the nearby noise-sensitive receptors were first established based on the noise guidelines of the MECP. The noise impact predictions of the aggregate quarry operations on the nearby noise-sensitive receptors were then established. Where the predicted sound levels were found to exceed the applicable MECP sound level limits, noise control measures were recommended to satisfy these limits.

Figure 1 provides a key plan showing the location of the aggregate quarry. A site plan is provided as Figure 2, illustrating the aggregate quarry area and the locations of nearby receptors. Noise control recommendations are provided in Appendix A.

2 Site Description

The proposed aggregate quarry will be a westward extension of the Existing Law Quarry (Licence Nos. 4464 & 607541). The proposed Law Quarry Extension is situated immediately north of Ontario Highway 3, which represents a major source of road traffic during daytime hours. The surrounding land uses are primarily agricultural, with some institutional land uses nearby, as well as industrially zoned lands to the east and southeast.

Figure 1 provides a key plan showing the location of the proposed Law Quarry Extension and surrounding area. The existing single-family dwellings in the vicinity of the quarry, as well as the two institutionally zoned places of worship, are identified as receptors R01 through R17. One vacant lot located to the south of the proposed aggregate quarry is zoned to permit noise sensitive uses such as dwellings that could introduce new receptors. This potential noise-sensitive vacant lot has been accounted for in this assessment by Receptor VL18, which represents a two-storey dwelling. The location of the vacant lot has been determined in accordance with the MECP's Noise Pollution Control Publication, NPC-300 *"Environmental Noise Guideline – Stationary and Transportation Sources – Approvals and Planning"* (MECP, August 2013). The location of each receptor is identified in Figure 2. The proposed Law Quarry Extension addressed in this Noise Impact Study consists of operations within the lands of each phase identified in Figure 2. These operations include excavation, processing (crushing and screening), and aggregate haulage/shipping. It is understood that the proposed quarry extension will also make use of some operations within the Existing quarry. Specifically, the aggregate wash plant and associated loader activity has been included in this assessment. A cumulative annual tonnage of 800,000 tonnes is to be removed from the lands of the Existing Law Quarry and the proposed Law Quarry Extension.

3 Noise Criteria

3.1 Acoustical Classification

The appropriate noise criteria for the receptors in the vicinity of the proposed Law Quarry Extension were based on the MECP Noise Pollution Control publication NPC-300.

Points of reception R13 through R16 have an acoustical environment consistent with the Class 3 (Rural) designation as defined by the MECP Publication NPC-300. In a class 3 area, the background sound levels during the daytime (07:00 to 19:00) are defined by natural sounds with little to no road traffic. Receptors R01 through R12 and R17 are situated more closely to Ontario Highway 3, a major source of road noise. Accordingly, Receptors R01 through R12 and R17 have an acoustical environment consistent with the Class 2 (Urban) designation, defined by man-made noise sources during the daytime and by natural sounds in the evening and nighttime periods.

Receptor VL18 is an assumed two-storey dwelling located on a vacant lot to the south of the proposed extension. The placement of this vacant lot receptor is consistent with NPC-300 and is consistent with the adjacent developments which share the same access road (Rathfon Road). In consideration that the ambient acoustical environment in the vicinity of VL18 is dominated by man-made noise, it is anticipated that any future dwelling at this location would be considered to be in a Class 2 area.

3.2 Non-Noise Sensitive Receptors

There is a dwelling situated on the lands of the proposed Law Quarry Extension, to the immediate west of Biederman Road, which is not considered a noise-sensitive receptor according to NPC-300. It is a single-family dwelling which is located on lands owned by the proposed Law Quarry Extension operator. It is anticipated that this dwelling will be leased by the proposed Quarry extension operator. Accordingly, this location has not been considered in the study. MECP Sound Level Limits

The applicable limits for noise from a stationary source at a noise-sensitive point of reception (receptor) in a Class 2 (Urban) and a Class 3 (Rural) area are outlined in Table 1.

| Table 1 Wild Store Exclusion Elimits for Stationary Sources Thoung EAEQ | | | | |
|---|-----------------|-----------------|--|--|
| Time of Day | Class 2 (Urban) | Class 3 (Rural) | | |
| Daytime (07:00 – 19:00) | 50* | 45* | | |
| Evening or Nighttime (19:00 – 07:00) | 45* | 40* | | |

Table 1 - NPC-300 Exclusion Limits for Stationary Sources - Hourly LAEQ

* or background sound level, if higher

The noise from a stationary source should not exceed these limits during any one-hour period.

At some points of reception in the vicinity of the proposed Law Quarry Extension, the lowest background sound level is expected to be higher than the exclusion limits listed above. Noise level calculations were performed in accordance with the MECP Guidelines and by the Guidelines of the Ontario Road Noise Analysis Method for Environment and Transportation (ORNAMENT). Calculations were conducted using the MECP's Road and Rail Traffic Noise Prediction Model STAMSON to establish predicted ambient noise levels in the vicinity of the noise-sensitive receptors. Road traffic predictions were based on an Annual Average Daily Traffic (AADT) for Highway 3 provided by the Ministry of Transportation. This AADT was then broken down into an hourly distribution and the worst-case (lowest volume) daytime traffic hour was used for the noise level predictions.

Calculations were performed for Receptors R01 through R10 which show that these receptors are subject to ambient sound levels which exceed the MECP exclusion limits provided in Table 1. For simplicity and conservatism, these ambient noise prediction calculations were based on the maximum setback distance from the road centreline for any of receptors R01, R03 through R08 and R10. Separate calculations have been performed for R02 and R09 which do not have operable windows facing the roadway. A conservative receptor height of 1.5 m has been used for road traffic calculations at all receptor locations.

It is possible that Receptors R11, R17, and VL18 are also subject to ambient sound levels exceeding the MECP exclusion limits, however, for simplicity and conservatism, the minimum daytime exclusion limits have been used for these receptors. Similarly, the minimum nighttime exclusion limits have been used at all points of reception. Sample calculations of the road traffic predictions are provided in Appendix B.

A summary of the applicable sound level limits used in this environmental noise impact study is provided in Table 2.

| Receptor | Receptor Height (m) | Sound Level Limit during Quarry Operating Times (07:00 – 19:00) |
|----------|---------------------|---|
| R01 | 1.5 | 56 |
| R02 | 1.5 | 56 |
| R03 | 4.5 | 56 |
| R04 | 1.5 | 56 |
| R05 | 1.5 | 56 |
| R06 | 4.5 | 56 |
| R07 | 4.5 | 56 |
| R08 | 4.5 | 56 |
| R09 | 1.5 | 53 |
| R10 | 1.5 | 56 |
| R11 | 4.5 | 50 |
| R12 | 2.5 | 50 |
| R13 | 4.5 | 45 |
| R14 | 1.5 | 45 |
| R15 | 1.5 | 45 |
| R16 | 1.5 | 45 |
| R17 | 2.5 | 50 |
| VL18 | 4.5 | 50 |

Table 2 - Applicable Sound Level Limits for Stationary Sources - Hourly LAEQ

4 Aggregate Quarry Operations

The site plans for the proposed Law Quarry Extension outline the phases of extraction as well as the direction of operations in each phase. In general terms, the nature of the work consists of the following:

- site preparation and rehabilitation
- extraction and processing; and
- shipment off-site.

4.1 Hours of Operation

The proposed hours of operation are from 07:00 to 19:00, Monday to Sunday, excluding statutory holidays. At no time shall blasting, extraction, processing, or shipping take place on a statutory holiday. Equipment maintenance may take place outside of these normal operating hours. The proposed hours of operation are summarized below in Table

| Table 3 - Operating Hours of Law Quarry Ex | tension |
|--|---------|
|--|---------|

| Time of Day | Day of Week | Operations |
|---------------|------------------|--|
| 07:00 – 19:00 | Monday to Sunday | Full Operation – Extraction, Processing, Loading & Shipping |

4.2 Site Preparation and Rehabilitation

Site preparation includes the construction of berms and visual screens specified on the site plan. Topsoil and overburden will be removed. This work will be done primarily with bulldozers, scrapers, trucks, loaders, and excavators. Rehabilitation phases will involve similar equipment in establishing the final grading for the site.

The site preparation and rehabilitation work described above is not part of the daily operation of the quarry and are of short duration. These construction activities are not considered in the noise control analysis. The equipment used for these activities must satisfy the noise emission requirements of the MECP document NPC-115 "*Construction Equipment*". By defining a maximum permissible noise emission for construction equipment, rather than directly limiting the noise impact at a sensitive point of reception, the MECP recognizes that construction is a temporary and largely unavoidable source of noise.

In order to minimize the noise impact associated with the construction activities, it is suggested that operations should be restricted to the daytime hours. When possible, site preparation should be conducted during the fall, winter, or spring months when there is a reduced level of extraction and when residential windows are more likely to remain closed.

4.3 Extraction, Processing & Transport

The maximum annual tonnage to be removed from each of the existing Law Quarry and the proposed Law Quarry Extension is 400,000 tonnes per site, for a combined maximum of 800,000 tonnes across both licences. The quarry extension will operate with a portable processing plant which follows the working face.

Aggregate will be extracted using two (2) front end loaders at the working face. Material will be transported directly into the portable processing plant. Processed materials will be stored in stockpiles in the vicinity of the processing area. Two shipping loaders will be used in the processing area to load highway trucks with finished aggregate product for transport to market. Some portion of the processed materials will be transported to the Wash Plant situated on the existing Law Quarry. This washed material will then be stored in stockpiles and then loaded onto highway trucks for transport to market. The wash plant is not planned to operate within the proposed quarry extension.

O aercoustics

4.4 Equipment

The extraction, processing, and shipment equipment operating in the proposed quarry is limited to:

- One (1) Quiet Rock Drill
- Two (2) Extraction Loaders
- Two (2) Shipment Loaders.
- One (1) Processing Plant
- One (1) Wash Plant (located in existing quarry)
- One (1) Wash Plant Loader (located in existing quarry)
- 30 Highway truck trips/hr (60 passes/hr)
- 20 Off-Road truck trips/hr (40 passes/hr)

The single Processing Plant may consist of multiple pieces of equipment for purposes such as crushing, screening, and washing. Since the noise predictions considered a single worst-case location for all the plant equipment, the distribution of the plant equipment is permitted at various locations. However, the combined sum sound power from all equipment locations must be less than or equal to the permitted sound power for the Processing Plant, and any local noise controls specific to the Processing Plant shall apply at each location.

The quiet rock drill must be designed for use in noise sensitive areas, which typically requires that the drill be equipped with an enclosed tower and a down-the-hole drill head. If the drill is of the percussive type, it should be equipped with a down-the-hole, rather than top-down hammering mechanism.

5 Noise Prediction and Controls

5.1 Noise Prediction Methodology

The proposed aggregate quarry operations, as described above, have been modelled using DataKustik's noise prediction software *CadnaA*. This modelling is based on established noise prediction methods outlined in the ISO 9613-2 standard entitled *"Acoustics – Attenuation of sound during propagation outdoors – Part 2: General method and calculation".*

The noise predictions are based on the predictable worst-case noise impact for each of the aggregate quarry operation areas at each noise-sensitive receptor. This represents a design case where the quarry is operating at full capacity with all of the equipment operating simultaneously and at locations where the noise impact is highest for each receptor. It is expected that a majority of the quarry operations would occur in other areas of the site, resulting in lower associated noise impacts. Noise associated with the extension quarry operations but located within the existing quarry was included in the model.

Noise levels were predicted using existing topography under conditions of downwind propagation, generally with hard ground modelled in the quarry area and soft ground conditions elsewhere. Appendix C contains sample stationary noise source calculations.

Where noise predictions have indicated the potential of exceedance of the applicable sound level limits, noise control measures have been established to satisfy these limits.

5.2 Aggregate Quarry Noise Sources

The reference sound levels used for the aggregate quarry equipment are outlined in Table 4. A site visit to the existing Law Quarry was conducted on August 30, 2017 by Aercoustics personnel. Noise measurements were taken of the Processing Plant as well as the Wash Plant. It is understood that the Processing Plant measured at the existing quarry will be used within the Extension Quarry, and that the Wash Plant will remain in the Existing Quarry. The assumed sound levels for other quarry equipment were based on Aercoustics' measurements of similar equipment at other aggregate operations.

| Equipment | Reference Sound Pressure Level at 30m (dBA) |
|--|--|
| Portable Processing Plant (crushing, screening & washing) | 87 |
| Quiet Rock Drill | 73 |
| Shipping Loader | 67 ¹ |
| Extraction Loader | 70 |
| Highway Truck – 25 km/hr | 65 |
| Off-Road Truck – 30 km/hr | 75 |

¹ – The shipment loaders were assumed to operate at a 50 % duty cycle.

5.3 Recommended Noise Controls

The recommended noise controls presented in this section and in Appendix A have been determined, through noise impact predictions, to be effective in limiting the noise impact from the aggregate quarry activities to levels which comply with the MECP sound level limits. It should be noted that there may be other effective noise controls that could replace or revise those put forth in this report. Prior to the implementation of any changes to the noise controls, appropriate studies should be undertaken to demonstrate that the MECP Sound level limits will be satisfied.

An acoustic barrier is required to be solid, with no gaps or openings, and shall satisfy a minimum area density of 20 kg/m². Such a barrier may take the form of a pit face, stockpile, acoustic fence, ISO container(s), some combination of these, or any other construction satisfying the requirements of an acoustic barrier.

No additional noise controls would be required to address the potential dwelling at Receptor VL18. The noise controls consider the vacant lot receptor listed above, with the location of vacant lot receptors determined using the guidance of NPC-300. If a dwelling is constructed on a noise-sensitive zoned lot in a materially different location than the receptor location shown, the noise control requirements should be reviewed and revised as required by a qualitied acoustical consultant. The qualified consultant should confirm and account for the assumed location, assumed equipment noise levels, ambient acoustical classification, and type of construction of the new dwelling.

Refer to Figures 3 through 13 for requirements at each of phases 1a to 5. These requirements include an illustration of the timing and implementation of noise controls such as local processing plant acoustical barriers. The Figures 3 and 6 – 13 also provide an indication of the areas within the Quarry extension where equipment operation must be altered, as described in noise control items 11, 14, 15, 19, 20 - 23, and 26 - 28 in Appendix A. It is to be noted that the requirement for Berm A, as well as noise control items 11 - 17 and 18a are necessitated solely by receptor R16. If the lands associated with Receptor R16 were to be owned by Waterford Group, Receptor R16 would not be considered noise sensitive so long as one of the following conditions is met:

- 1. It is occupied by persons associated with the quarry operations or who have entered into agreements with the quarry operators confirming that they are aware of any noise which may be generated by the quarry, and which may interfere with some activities of the occupants; or
- 2. It be left vacant

Refer to Appendix A for a comprehensive summary of the recommended noise controls for the proposed Law Quarry Extension.

5.4 Predicted Sound Levels with Controls

The predicted worst-case noise levels produced by operations within the proposed Law Quarry Extension area are summarized in Table 5 below.

| Extraction, Processing, and Shipping Operations (07:00 – 19:00) | | |
|---|---------------------------|-------------------------------|
| Point of Reception | Daytime Sound Level Limit | Maximum Predicted Sound Level |
| R01 | 56 | 51 |
| R02 | 57 | 51 |
| R03 | 56 | 53 |
| R04 | 56 | 54 |
| R05 | 56 | 53 |
| R06 | 56 | 54 |

| Table 5 - Law Quarr | v Extension - Wors | t Case Predicted | Sound Levels and | Criterial - Hourly LEQ (| dBA) |
|---------------------|--------------------|------------------|------------------|--------------------------|------|
| | | | | C_{EQ} | uDA) |



| Extraction, Processing, and Shipping Operations (07:00 – 19:00) | | |
|---|---------------------------|-------------------------------|
| Point of Reception | Daytime Sound Level Limit | Maximum Predicted Sound Level |
| R07 | 56 | 55 |
| R08 | 56 | 55 |
| R09 | 53 | 52 |
| R10 | 56 | 51 |
| R11 | 50 | 47 |
| R12 | 50 | 47 |
| R13 | 45 | 45 |
| R14 | 45 | 45 |
| R15 | 45 | 45 |
| R16 | 45 | 45 |
| R17 | 50 | 47 |
| VL18 | 50 | 49 |

With the incorporation of the recommended noise controls, the predicted noise impact will satisfy the MECP sound level limits at all receptor locations.

5.5 Cumulative Noise Impact

The predictable worst-case operation of the quarry was designed to satisfy the MECP sound level limits. This represents an operating condition when the equipment in the quarry is positioned such that the noise impact at a given noise-sensitive receptor is highest. This generally occurs when the quarry's extraction operation is at a location in the quarry that is closest to the receptor. This condition will only occur for a small portion of the quarry's operational life. For the other portion of the quarry's operational life, the predicted noise level will be lower.

Given the timing of operations and setback distances of the existing Law Quarry, and other commercial operations, it is unlikely that their respective operation cycle will occur where noise impact is highest at the same receptor at the same time.

In the unlikely event that this overlap of worst-case operation occurs between the two sites, a combined noise level of 3 dB above the sound level limits is possible at some receptors. In environmental noise, a change in sound level of 3 dB is perceived as minor and represents a change in sound level that most people would just barely notice. This analysis assumes that the existing Law Quarry is designed with the same MECP noise limits.

C) aercoustics

6 Truck Traffic Noise on Haul Route

The noise impact of truck traffic on public roadways is not addressed by the MECP in their noise guidelines. However, the MECP requires consideration of the noise impact in choosing the off-property haul route.

The aggregate material from the proposed Law Quarry Extension will be shipped to market through the existing Law Quarry via the existing entrance. Trucks leaving site with aggregate material will then exit onto Highway 3 moving east or west using the existing haul routes.

Since the quarry extension truck traffic will use the same haul routes, no significant change in truck trips is expected to occur compared to the operation of the existing Law Quarry.

With this, the proposed haul route is not expected to cause an objectionable increase in road traffic noise and is considered the preferred haul route in the context of noise impact.


7 Conclusion


Aercoustics has conducted a noise impact study for the proposed Law Quarry Extension. The purpose of this noise impact study was to provide noise control recommendations for the quarry operations to satisfy the MECP noise guidelines. Figure 2 provides a site plan outlining the aggregate quarry areas and the locations of nearby receptors.


Sound level limits were developed based on the MECP noise guidelines. Calculations were then carried out to determine the worst-case noise impact for each phase of the aggregate quarry operation, at each noise-sensitive receptor. Where noise predictions indicated the potential of exceedance of the MECP sound level limits, noise control recommendations were provided.


Appendix D provides a summary of the qualifications of the authors.


With the implementation of the recommended noise controls, the proposed aggregate quarry operation is predicted to satisfy the MECP noise guidelines.



































Appendix A Noise Control Recommendations



General:

- 1. The proposed hours of extraction, processing, and shipping operations shall be limited to the daytime hours only (07:00 19:00)
- 2. The extraction, processing, and shipping equipment operating in the quarry is limited to:
 - One (1) Quiet Rock Drill
 - Two (2) Extraction Loaders
 - Two (2) Shipment Loaders.
 - One (1) Processing Plant
 - Highway Trucks
 - Off-Road Trucks
- 3. The aggregate quarry equipment shall satisfy the noise emission levels listed in Table A:

| Equipment | Reference Sound Pressure Level at 30m (dBA) |
|--|--|
| Portable Processing Plant (crushing, screening & washing) | 87 |
| Quiet Rock Drill | 73 |
| Shipping Loader | 67 ¹ |
| Extraction Loader | 70 |
| Highway Truck – 25 km/hr | 65 |
| Off-Road Truck – 30 km/hr | 75 |

Table A: Reference Sound Pressure Levels of Aggregate Quarry Equipment

1 – The shipment loaders were assumed to operate at a 50 % duty cycle.

- 4. The sound emissions of all construction equipment involved in site preparation and rehabilitation activities shall comply with the sound level limits specified in the MECP publication NPC-115 "Construction Equipment"
- 5. New equipment technology or different configurations may allow proposed changes to any portion of the extraction and processing operations including additional equipment to operate on the site, equipment to be substituted, and/or different berm heights, while still meeting the applicable sound level limits. Changes may be permitted to the site operations and noise controls provided that the changes till meet the sound level limits, as confirmed through documentation prepared by a Professional Engineer specializing in noise control.

aercoustics

- 6. An acoustic barrier is required to be solid, with no gaps or openings, and shall satisfy a minimum area density of 20 kg/m². It could take the form of a quarry face, stockpile, earth berm, acoustic fence, ISO containers, a combination of these, or any construction satisfying the requirements of an acoustic barrier.
- 7. The operation shall proceed in three tandem lifts. The total height of the working face, across all lifts, shall be a minimum of 17 m above the quarry floor on which the processing plant is situated. The plant shall be located a maximum of 60 m from the top of rock, unless otherwise noted, and shall be located on the quarry floor as soon as practical in Phase 1b. Extraction shall proceed in the directions outlined on the Operational Plan.
- 8. Prior to extraction in Phase 1a, an acoustic barrier with a minimum top-ofbarrier elevation of 190 meters above sea level (MASL) shall be installed along the north boundary of the property as shown (Berm A) on the Operation Plan. This barrier shall remain in place for the lifetime of the quarry.
- 9. Prior to extraction in Phase 2, an acoustic barrier with a minimum top-of-barrier elevation of 190 MASL shall be installed along the west boundary of the property as shown (Berm B) on the Operation Plan. This barrier shall remain in place for the lifetime of the quarry.
- 10. Prior to extraction in Phase 4, an acoustic barrier with a minimum top-of-barrier height of 4 m above existing grade shall be installed along the south boundary of the property as shown (Berm C) in the Operation Plan. This barrier shall remain in place for the lifetime of the quarry.

Phase 1a

- 11. Processing within the bounds of Phase 1a is prohibited during the extraction of Phase 1a.
- 12. During operations in Phase 1a, the line of sight between the Processing Plant and Receptor R16 must be broken by either:
 - a. Unextracted land with a minimum height of 17 m at a maximum distance of 60 m from the processing plant; or
 - b. An acoustical barrier with a minimum height of 12 m at a maximum distance of 30 m from the Processing Plant
- 13. During operations in Phase 1a, an acoustical barrier with a minimum height of 4 m and a minimum length of 15 m shall be erected within 10 m of the rock drill



blocking the line of sight between the drill and receptor R16. This may be achieved using a truck trailer with plywood boards blocking any gaps.

- 14. Extraction in 150 m of R16 in Phase 1a shall be limited to a single extraction loader.
- 15. During extraction within 100 m of R16, the Quiet Rock Drill shall not operate at-grade or at the first bench elevation simultaneously with any extraction or processing operations.

Phase 1b

- 16. During extraction of Phase 1b the line of sight between the Processing Plant and Receptor R16 shall be blocked by either:
 - a. Unextracted land with a minimum height of 17 m at a maximum distance of 60 m from the processing plant; or
 - b. An acoustical barrier with a minimum height of 12 m at a maximum distance of 30 m from the Processing Plant

Phase 2

- 17. During extraction operations in Phase 2, the Processing Plant shall be located such that the line of sight to Receptor R16 is broken by either:
 - a. An acoustic barrier with a minimum height of 12 m within 30 m of the Processing plant; or
 - b. Intervening unextracted land with a minimum height of 17 m within 60 m of the processing plant.
- 18. When the Quiet Rock Drill is operating at-grade in Phase 2, an acoustical barrier with a minimum height of 4 m and a minimum length of 15 m shall be erected within 10 m of the Quiet Rock Drill blocking the line of sight between the drill and receptors, as follows:
 - a. More than 300 m of Phase 2 west extraction limit: Receptor R16
 - b. Less than 300 m of Phase 2 west extraction limit: Receptor R14, R15
- 19. When the Quiet Rock Drill is operating at-grade or at the first bench elevation within 60 m of the west Phase 2 extraction limit, the Quiet Rock Drill shall not operate simultaneously with extraction or processing operations.



Phase 3

- 20. Extraction Operations within 250 m of the west extraction limit in Phase 3 shall proceed in a westerly direction. Extraction operations greater than 250 m of the west extraction limit shall proceed in a southerly direction.
- 21. Prior to westward extraction in Phase 3, the Processing Plant shall be located between the sections of unextracted land as shown in the Operation Plan and shall remain there for the duration of Phase 3 extraction. During processing operations in Phase 3, the line of sight to receptors R11 to R16 shall be broken by either:
 - a. An acoustic barrier with a minimum height of 12 m within 30 m of the Processing Plant; or
 - b. Intervening unextracted land with a minimum height of 17 m within 60 m of the Processing Plant.
- 22. Extraction Operations within 100 m of the west extraction limit of Phase 3 shall be limited to one extraction loader.
- 23. Once the working face is within 50 m of the west extraction limit of Phase 3, the Quiet Rock Drill may not be operated simultaneously with any processing or extraction activities.
- 24. When the Quiet Rock Drill is operating at-grade in Phase 3, an acoustical barrier with a minimum height of 4 m and a minimum length of 15 m shall be erected within 10 m of the Quiet Rock Drill blocking the line of sight between the drill and receptors R11 to R15.

Phase 4

- 25. When the Quiet Rock Drill is operating at-grade in Phase 4, an acoustical barrier with a minimum height of 4 m and a minimum length of 15 m shall be erected within 10 m of the rock drill blocking the line of sight between the drill and receptors R11 to R14.
- 26. During extraction of Phase 4, the Processing Plant shall be located between the sections of unextracted land as shown on the Operation Plan and shall remain there for the duration of Phase 4 extraction. The line of sight between the Processing Plant and any of Receptors R11 to R16 shall be broken by either:
 - a. An acoustic barrier with a minimum height of 12 m within 30 m of the Processing plant; or



- b. Intervening unextracted land with a minimum height of 17 m within 60 m of the Processing Plant
- 27. During extraction operations in Phase 4, the Extraction Loaders shall operate behind the working face such that line of sight from the extraction loaders to Receptors R11 to R14 is broken. If the line of sight between extraction loaders and Receptors R11 to R14 is not broken by the working face, the extraction operations shall be limited to a single Extraction Loader.
- 28. When the Quiet Rock Drill is operating at-grade within 150 m of R13, the Quiet Rock Drill may not be operated simultaneously with any processing or extraction activities.

Phase 5

- 29. During extraction operations in Phase 5, the Processing Plant shall be located such that the line of sight to Receptors R01 through R14 is broken by either:
 - c. An acoustic barrier with a minimum height of 12 m within 30 m of the Processing Plant; or
 - d. Intervening unextracted land with a minimum height of 17 m within 60 m of the Processing Plant.

Appendix B Sample Road Traffic Calculations



Law Quarry Extension – NIS

Appendices

```
STAMSON 5.0 NORMAL REPORT Date: 19-06-2020 14:07:39
MINISTRY OF ENVIRONMENT AND ENERGY / NOISE ASSESSMENT
Filename: on3.te
                      Time Period: 1 hours
Description: Noise impact for Receptors R01-R08, R10-R15, R17
Road data, segment # 1: ON-3
_____
Car traffic volume : 218 veh/TimePeriod
Medium truck volume : 7 veh/TimePeriod
Heavy truck volume : 7 veh/TimePeriod
Posted speed limit : 80 km/h
Road gradient : 0 %
              : 1 (Typical asphalt or concrete)
Road pavement
Data for Segment # 1: ON-3
_____
Angle1 Angle2 : -90.00 deg 90.00 deg
                  : 0 (No woods.)
Wood depth
No of house rows :
                       0
                        1
Surface
                              (Absorptive ground surface)
                   :
Receiver source distance : 45.00 m
Receiver height : 1.50 m
                   : 1 (Flat/gentle slope; no barrier)
Topography
Reference angle : 0.00
Results segment # 1: ON-3
_____
Source height = 1.32 m
ROAD (0.00 + 55.74 + 0.00) = 55.74 dBA
Angle1 Angle2 Alpha RefLeq P.Adj D.Adj F.Adj W.Adj H.Adj B.Adj SubLeq
_____
  -90 90 0.66 65.12 0.00 -7.92 -1.46 0.00 0.00 0.00 55.74
_____
Segment Leq : 56 dBA
Total Leq All Segments: 56 dBA
TOTAL Leq FROM ALL SOURCES: 56 dBA
```

aercoustics

Law Quarry Extension – NIS

Appendices

```
STAMSON 5.0 NORMAL REPORT Date: 19-06-2020 14:09:32
MINISTRY OF ENVIRONMENT AND ENERGY / NOISE ASSESSMENT
Filename: r17.te
                      Time Period: 1 hours
Description: Noise impact for R16
Road data, segment # 1: ON-3
_____
Car traffic volume : 218 veh/TimePeriod
Medium truck volume : 7 veh/TimePeriod
Heavy truck volume : 7 veh/TimePeriod
Posted speed limit : 80 km/h
Road gradient : 0 %
              : 1 (Typical asphalt or concrete)
Road pavement
Data for Segment # 1: ON-3
_____
Angle1 Angle2 : -90.00 deg 0.00 deg
                   : 0 (No woods.)
Wood depth
No of house rows :
Surface ·
                        0
                        1
                              (Absorptive ground surface)
                   :
Receiver source distance : 30.00 m
Receiver height : 1.50 m
                   : 1 (Flat/gentle slope; no barrier)
Topography
Reference angle : 0.00
Results segment # 1: ON-3
_____
Source height = 1.32 m
ROAD (0.00 + 55.65 + 0.00) = 55.65 \text{ dBA}
Angle1 Angle2 Alpha RefLeq P.Adj D.Adj F.Adj W.Adj H.Adj B.Adj SubLeq
_____
  -90 0 0.66 65.12 0.00 -5.00 -4.47 0.00 0.00 0.00 55.65
_____
Segment Leq : 56 dBA
Total Leq All Segments: 56 dBA
TOTAL Leq FROM ALL SOURCES: 56 dBA
```

aercoustics

Law Quarry Extension – NIS

Appendices

```
STAMSON 5.0 NORMAL REPORT Date: 19-06-2020 14:11:30
MINISTRY OF ENVIRONMENT AND ENERGY / NOISE ASSESSMENT
Filename: R10.te
                      Time Period: 1 hours
Description: Noise impact for R10
Road data, segment # 1: ON-3
_____
Car traffic volume : 218 veh/TimePeriod
Medium truck volume : 7 veh/TimePeriod
Heavy truck volume : 7 veh/TimePeriod
Posted speed limit : 80 km/h
Road gradient : 0 %
              : 1 (Typical asphalt or concrete)
Road pavement
Data for Segment # 1: ON-3
_____
Angle1 Angle2 : -90.00 deg 0.00 deg
                   : 0 (No woods.)
Wood depth
No of house rows :
Surface ·
                        0
                        1
                              (Absorptive ground surface)
                   :
Receiver source distance : 43.00 m
Receiver height : 1.50 m
                   : 1 (Flat/gentle slope; no barrier)
Topography
Reference angle : 0.00
Results segment # 1: ON-3
_____
Source height = 1.32 m
ROAD (0.00 + 53.06 + 0.00) = 53.06 \text{ dBA}
Angle1 Angle2 Alpha RefLeq P.Adj D.Adj F.Adj W.Adj H.Adj B.Adj SubLeq
_____
  -90 0 0.66 65.12 0.00 -7.59 -4.47 0.00 0.00 0.00 53.06
_____
Segment Leq : 53 dBA
Total Leq All Segments: 53 dBA
TOTAL Leq FROM ALL SOURCES: 53 dBA
```

aercoustics

Appendix C

Sample Stationary Noise Calculations



aercoustics.com

Point of Reception Table Page 1 of 18

Project: Law Quarry Extension Project Number: 17132.02

| | | Point of | Reception R01 | Point of | Reception R02 | Point of | Reception R03 | Point of | Reception R04 | Point of | Reception R05 | Point of | Reception R06 |
|---------------|--------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|
| Source ID | | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day |
| D13_HwyTruck | Highway Trucks | 706 | 17 | 670 | 21 | 613 | 28 | 631 | 26 | 602 | 29 | 590 | 30 |
| A02_HwyTruck | Highway Trucks | 548 | 38 | 590 | 37 | 662 | 35 | 634 | 37 | 678 | 35 | 698 | 36 |
| D13_OffRoad | Off-Road Trucks | 683 | 28 | 629 | 28 | 536 | 29 | 567 | 31 | 517 | 29 | 494 | 31 |
| D13_Plant | Processing Plant | 581 | 41 | 531 | 40 | 443 | 40 | 473 | 41 | 426 | 40 | 405 | 41 |
| D13_RockDrill | Quiet Rock Drill | 940 | 0 | 883 | 0 | 782 | 0 | 817 | 0 | 760 | 0 | 735 | 0 |
| D13_SFEL | Shipping Loaders | 568 | 28 | 520 | 29 | 435 | 28 | 463 | 29 | 418 | 28 | 398 | 28 |
| D13_FEL | Single Extraction Loader | 898 | 29 | 842 | 30 | 742 | 31 | 777 | 31 | 721 | 31 | 696 | 32 |
| A02_WashPlant | Wash Plant | 994 | 38 | 1038 | 37 | 1109 | 37 | 1083 | 39 | 1126 | 36 | 1144 | 38 |
| A02_2FEL | Wash Plant Loaders | 1014 | 29 | 1057 | 29 | 1129 | 28 | 1102 | 30 | 1146 | 28 | 1164 | 29 |
| Total Level | I [dBA] | | 45 | | 44 | | 43 | | 45 | | 43 | | 45 |

| | | Point of | Reception R07 | Point of | Reception R08 | Point of | Reception R09 | Point of | Reception R10 | Point of | Reception R11 | Point of | Reception R12 |
|---------------|--------------------------|---------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|
| Source ID | | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day |
| D13_HwyTruck | Highway Trucks | 551 | 30 | 565 | 30 | 528 | 28 | 533 | 27 | 649 | 32 | 576 | 31 |
| A02_HwyTruck | Highway Trucks | 754 | 35 | 774 | 35 | 883 | 31 | 914 | 31 | 1347 | 27 | 1278 | 22 |
| D13_OffRoad | Off-Road Trucks | 438 | 31 | 426 | 31 | 383 | 29 | 377 | 29 | 470 | 32 | 398 | 34 |
| D13_Plant | Processing Plant | 367 | 41 | 352 | 41 | 318 | 40 | 317 | 41 | 509 | 37 | 449 | 35 |
| D13_RockDrill | Quiet Rock Drill | 678 | 0 | 655 | 0 | 560 | 0 | 537 | 0 | 246 | 0 | 126 | 0 |
| D13_SFEL | Shipping Loaders | 364 | 29 | 350 | 29 | 325 | 28 | 327 | 28 | 533 | 26 | 473 | 23 |
| D13_FEL | Single Extraction Loader | 640 | 33 | 618 | 33 | 528 | 35 | 506 | 35 | 271 | 39 | 158 | 39 |
| A02_WashPlant | Wash Plant | 1198 | 37 | 1217 | 37 | 1321 | 34 | 1351 | 34 | 1719 | 31 | 1647 | 24 |
| A02_2FEL | Wash Plant Loaders | 1219 | 28 | 1237 | 28 | 1341 | 26 | 1371 | 26 | 1738 | 23 | 1666 | 19 |
| Total Level | [dBA] | | 44 | | 44 | | 43 | | 43 | | 42 | | 42 |

| | | Point of | Reception R13 | Point of | Reception R14 | Point of | Reception R15 | Point of | Reception R16 | Point of | Reception R17 |
|---------------|--------------------------|------------------------|------------------------------------|---------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|------------------------|------------------------------------|
| Source ID | | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day | Distance to POR (m) | Sound Level at POR (dBA) Day |
| D13_HwyTruck | Highway Trucks | 564 | 36 | 526 | 32 | 576 | 34 | 359 | 32 | 856 | 29 |
| A02_HwyTruck | Highway Trucks | 1285 | 29 | 1247 | 24 | 1300 | 27 | 745 | 28 | 1338 | 27 |
| D13_OffRoad | Off-Road Trucks | 359 | 39 | 393 | 35 | 572 | 35 | 711 | 31 | 555 | 30 |
| D13_Plant | Processing Plant | 479 | 37 | 501 | 38 | 667 | 36 | 710 | 33 | 579 | 33 |
| D13_RockDrill | Quiet Rock Drill | 100 | 0 | 194 | 0 | 454 | 0 | 876 | 0 | 457 | 0 |
| D13_SFEL | Shipping Loaders | 501 | 27 | 517 | 24 | 674 | 33 | 692 | 17 | 603 | 24 |
| D13_FEL | Single Extraction Loader | 147 | 41 | 212 | 38 | 460 | 35 | 841 | 31 | 466 | 36 |
| A02_WashPlant | Wash Plant | 1646 | 33 | 1579 | 25 | 1560 | 30 | 893 | 29 | 1761 | 32 |
| A02_2FEL | Wash Plant Loaders | 1665 | 25 | 1597 | 20 | 1576 | 23 | 906 | 24 | 1781 | 23 |
| Total Level | [dBA] | | 45 | | 42 | | 42 | | 39 | | 40 |

Receiver: R01 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 45 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | Z | | | | | | | | | | | | | | | |
| Trailer | R01 | 638421.98 m | 4750121.26 m | 185.50 m | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 65.0 | 0.0 | -1.9 | 4.5 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 62.7 | 0.0 | -1.8 | 4.5 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| A02_HwyTruck | Highway Trucks | 638680.5 | 4750265.4 | 179.9 | 0 | 78 | 16.7 | А | 60.4 | 0.0 | -1.3 | 16.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 60.2 | 0.0 | -1.0 | 5.4 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 60.8 | 0.0 | -0.4 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 67.0 | 0.0 | -1.9 | 4.5 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 69.2 | 0.0 | -1.8 | 4.4 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 68.8 | 0.0 | -1.9 | 4.5 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 61.8 | 0.0 | -1.7 | 11.7 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 63.6 | 0.0 | -1.9 | 4.5 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 69.8 | 0.0 | -1.8 | 4.4 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 70.0 | 0.0 | -1.9 | 4.4 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 69.6 | 0.0 | -1.8 | 4.4 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 69.7 | 0.0 | -1.9 | 4.5 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 70.0 | 0.0 | -1.9 | 4.5 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637732.0 | 4750454.9 | 168.5 | 0 | 83 | 20.4 | А | 68.7 | 0.0 | 0.8 | 11.1 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637824.1 | 4750448.7 | 168.5 | 0 | 83 | 18.7 | А | 67.7 | 0.0 | 0.3 | 8.2 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_OffRoad | Off-Road Trucks | 637882.7 | 4750444.7 | 168.5 | 0 | 83 | 16.3 | А | 67.0 | 0.0 | 0.4 | 9.0 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 69.7 | 0.0 | 0.6 | 4.4 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 66.3 | 0.0 | 0.4 | 13.6 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 66.1 | 0.0 | 0.2 | 10.6 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 70.1 | 0.0 | 1.3 | 3.1 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 70.9 | 0.0 | -1.3 | 4.4 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 71.1 | 0.0 | -1.4 | 4.2 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |

Receiver: R02 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 44 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Church | R02 | 638359.44 m | 4750113.29 m | 185.56 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 638045.4 | 4750827.4 | 167.4 | 0 | 78 | 21.9 | А | 68.8 | 0.0 | -1.3 | 12.9 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 65.8 | 0.0 | -1.5 | 4.4 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 63.8 | 0.0 | -1.4 | 4.6 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_HwyTruck | Highway Trucks | 638680.5 | 4750265.4 | 179.9 | 0 | 78 | 16.7 | Α | 62.0 | 0.0 | -1.3 | 15.9 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 67.6 | 0.0 | -1.6 | 4.4 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | Α | 61.8 | 0.0 | -0.9 | 5.9 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 69.4 | 0.0 | -1.7 | 4.4 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | Α | 62.4 | 0.0 | -0.5 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 69.2 | 0.0 | -1.7 | 4.4 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | Α | 63.1 | 0.0 | -1.4 | 11.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 64.5 | 0.0 | -1.4 | 4.4 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | A | 70.1 | 0.0 | -1.7 | 4.4 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 70.3 | 0.0 | -1.7 | 4.4 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | A | 69.9 | 0.0 | -1.7 | 4.4 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 70.1 | 0.0 | -1.7 | 4.4 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | A | 70.3 | 0.0 | -1.7 | 4.4 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637739.3 | 4750454.4 | 168.5 | 0 | 83 | 21.0 | А | 68.0 | 0.0 | 1.0 | 12.5 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637834.3 | 4750448.0 | 168.5 | 0 | 83 | 18.2 | A | 66.9 | 0.0 | 0.3 | 9.7 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637885.5 | 4750444.5 | 168.5 | 0 | 83 | 15.7 | А | 66.2 | 0.0 | 0.3 | 7.9 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | A | 69.1 | 0.0 | 0.5 | 4.6 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 65.5 | 0.0 | 0.5 | 15.0 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 65.3 | 0.0 | 0.1 | 10.7 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 69.5 | 0.0 | 1.3 | 3.1 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | A | 71.3 | 0.0 | -1.0 | 4.6 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 71.5 | 0.0 | -1.1 | 4.3 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |

Receiver: R03 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 43 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R03 | 638249.67 m | 4750112.01 m | 185.92 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 638037.2 | 4750815.5 | 167.4 | 0 | 78 | 22.6 | А | 68.3 | 0.0 | -1.3 | 5.2 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | Α | 64.6 | 0.0 | 0.1 | 13.3 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 68.9 | 0.0 | -1.4 | 11.1 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | Α | 66.9 | 0.0 | -1.3 | 4.3 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 69.7 | 0.0 | -1.0 | 4.2 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | Α | 65.4 | 0.0 | -0.9 | 4.3 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 68.4 | 0.0 | -1.4 | 4.3 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | Α | 69.8 | 0.0 | -1.6 | 4.4 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 64.1 | 0.0 | -0.9 | 5.6 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | Α | 64.6 | 0.0 | -0.5 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 64.9 | 0.0 | -0.9 | 5.3 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | Α | 65.9 | 0.0 | -1.1 | 4.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 70.6 | 0.0 | -1.4 | 4.3 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | Α | 70.8 | 0.0 | -1.5 | 4.3 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 70.3 | 0.0 | -1.4 | 4.3 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 70.7 | 0.0 | -1.6 | 4.4 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 70.8 | 0.0 | -1.6 | 4.4 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637749.3 | 4750453.7 | 168.5 | 0 | 83 | 21.6 | Α | 66.7 | 0.0 | 1.1 | 14.6 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637848.3 | 4750447.0 | 168.5 | 0 | 83 | 17.3 | А | 65.4 | 0.0 | 0.3 | 12.2 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637889.5 | 4750444.2 | 168.5 | 0 | 83 | 14.7 | Α | 64.8 | 0.0 | 0.3 | 9.9 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 63.8 | 0.0 | 0.6 | 14.1 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 68.0 | 0.0 | 0.4 | 5.0 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 64.4 | 0.0 | 0.3 | 11.1 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 63.9 | 0.0 | 0.5 | 17.3 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 63.8 | 0.0 | 0.1 | 12.9 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 68.4 | 0.0 | 1.4 | 3.2 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 71.9 | 0.0 | -0.9 | 4.2 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 72.1 | 0.0 | -1.1 | 4.1 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |

Receiver: R04 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 45 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| 2-Storey | R04 | 638288.56 m | 4750113.56 m | 188.63 m | i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 638040.3 | 4750820.1 | 167.4 | 0 | 78 | 22.3 | А | 68.5 | 0.0 | -3.0 | 8.7 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 68.9 | 0.0 | -3.1 | 11.1 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 66.5 | 0.0 | -2.9 | 4.8 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 64.8 | 0.0 | -2.6 | 4.8 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 69.6 | 0.0 | -3.0 | 4.8 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 68.1 | 0.0 | -3.2 | 4.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638680.5 | 4750265.4 | 179.9 | 0 | 78 | 16.7 | А | 63.5 | 0.0 | -2.5 | 14.8 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 63.4 | 0.0 | -2.5 | 5.2 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 69.6 | 0.0 | -3.4 | 4.8 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 63.9 | 0.0 | -2.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 64.3 | 0.0 | -2.6 | 5.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 65.4 | 0.0 | -2.7 | 4.8 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 70.4 | 0.0 | -3.5 | 4.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 70.6 | 0.0 | -3.5 | 4.8 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 70.1 | 0.0 | -3.4 | 4.8 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 70.5 | 0.0 | -3.5 | 4.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 70.6 | 0.0 | -3.5 | 4.8 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637745.7 | 4750454.0 | 168.5 | 0 | 83 | 21.4 | А | 67.1 | 0.0 | -0.8 | 14.6 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637843.3 | 4750447.4 | 168.5 | 0 | 83 | 17.6 | А | 65.9 | 0.0 | -1.5 | 11.3 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_OffRoad | Off-Road Trucks | 637888.1 | 4750444.3 | 168.5 | 0 | 83 | 15.1 | А | 65.3 | 0.0 | -1.5 | 9.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 64.3 | 0.0 | -1.1 | 13.7 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 68.4 | 0.0 | -1.6 | 5.5 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 64.9 | 0.0 | -1.4 | 10.5 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 64.5 | 0.0 | -0.7 | 17.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 64.3 | 0.0 | -1.2 | 13.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 68.8 | 0.0 | -0.3 | 4.3 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 71.7 | 0.0 | -3.5 | 4.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 71.8 | 0.0 | -3.0 | 4.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |

Receiver: R05 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|------|------|-----|------|------|------|------|-------|------|-----|-----|----|
| Day | 43 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R05 | 638226.02 m | 4750111.71 m | 185.93 m | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | Freq | Adiv | | Agr | Abar | Aatm | Afol | Ahous | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 638035.2 | 4750812.6 | 167.4 | 0 | 78 | 22.8 | А | 68.2 | 0.0 | -1.1 | 4.5 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | Α | 64.4 | 0.0 | -0.3 | 10.9 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 68.9 | 0.0 | -1.4 | 11.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | Α | 67.2 | 0.0 | -1.2 | 4.3 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 69.8 | 0.0 | -1.0 | 4.2 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 65.7 | 0.0 | -0.9 | 4.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 68.6 | 0.0 | -1.4 | 4.3 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | Α | 70.0 | 0.0 | -1.5 | 4.3 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 64.6 | 0.0 | -0.8 | 5.7 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | Α | 65.1 | 0.0 | -0.5 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 65.3 | 0.0 | -0.9 | 4.6 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | Α | 66.2 | 0.0 | -1.0 | 4.3 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 70.7 | 0.0 | -1.3 | 4.3 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | Α | 70.9 | 0.0 | -1.4 | 4.3 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 70.4 | 0.0 | -1.3 | 4.3 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | Α | 70.8 | 0.0 | -1.5 | 4.3 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 71.0 | 0.0 | -1.5 | 4.3 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637751.4 | 4750453.6 | 168.5 | 0 | 83 | 21.7 | Α | 66.3 | 0.0 | 1.1 | 15.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637851.2 | 4750446.8 | 168.5 | 0 | 83 | 17.1 | А | 65.0 | 0.0 | 0.3 | 12.7 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637890.4 | 4750444.2 | 168.5 | 0 | 83 | 14.4 | Α | 64.5 | 0.0 | 0.3 | 10.5 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 63.5 | 0.0 | 0.6 | 14.5 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | Α | 67.7 | 0.0 | 0.3 | 5.2 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 64.1 | 0.0 | 0.3 | 11.6 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | Α | 63.6 | 0.0 | 0.6 | 17.8 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 63.4 | 0.0 | 0.1 | 13.3 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | Α | 68.2 | 0.0 | 1.4 | 3.2 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 72.0 | 0.0 | -0.9 | 4.2 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | Α | 72.2 | 0.0 | -1.0 | 4.0 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |

Receiver: R06 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 45 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| 2-Storey | R06 | 638198.15 m | 4750112.53 m | 188.90 m | i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 638032.7 | 4750809.0 | 167.4 | 0 | 78 | 23.0 | А | 68.1 | 0.0 | -2.6 | 5.5 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | А | 64.0 | 0.0 | -1.8 | 10.7 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 68.8 | 0.0 | -3.1 | 11.7 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 65.6 | 0.0 | -1.8 | 10.4 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 67.5 | 0.0 | -2.9 | 4.8 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | Α | 69.9 | 0.0 | -2.8 | 4.8 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 68.8 | 0.0 | -3.2 | 4.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 66.1 | 0.0 | -2.4 | 4.8 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 70.2 | 0.0 | -3.3 | 4.8 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 65.0 | 0.0 | -2.3 | 5.1 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 65.5 | 0.0 | -2.1 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | Α | 65.7 | 0.0 | -2.4 | 4.8 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 66.5 | 0.0 | -2.6 | 4.8 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 70.8 | 0.0 | -3.1 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 71.0 | 0.0 | -3.2 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 70.5 | 0.0 | -3.0 | 4.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 70.9 | 0.0 | -3.3 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | Α | 71.1 | 0.0 | -3.3 | 4.8 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637753.6 | 4750453.4 | 168.5 | 0 | 83 | 21.9 | А | 66.0 | 0.0 | -0.6 | 16.1 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637854.5 | 4750446.6 | 168.5 | 0 | 83 | 16.8 | Α | 64.6 | 0.0 | -1.5 | 13.1 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637891.3 | 4750444.1 | 168.5 | 0 | 83 | 14.1 | А | 64.1 | 0.0 | -1.4 | 11.1 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 63.1 | 0.0 | -0.9 | 15.4 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 67.4 | 0.0 | -1.6 | 5.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 63.7 | 0.0 | -1.3 | 12.1 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 63.2 | 0.0 | -0.6 | 18.4 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 63.0 | 0.0 | -1.0 | 14.6 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 67.9 | 0.0 | -0.2 | 4.3 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 72.2 | 0.0 | -3.4 | 4.8 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 72.3 | 0.0 | -3.0 | 4.8 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |

Receiver: R07 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 44 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| 2-Storey | R07 | 638130.38 m | 4750104.08 m | 188.68 m | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637935.9 | 4750440.6 | 167.4 | 0 | 78 | 19.7 | А | 62.8 | 0.0 | -1.6 | 15.0 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_HwyTruck | Highway Trucks | 637889.0 | 4750496.8 | 167.4 | 0 | 78 | 17.3 | А | 64.3 | 0.0 | -2.0 | 8.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638025.6 | 4750798.8 | 167.4 | 0 | 78 | 23.5 | А | 67.9 | 0.0 | -1.9 | 6.5 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 69.0 | 0.0 | -3.1 | 11.9 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 65.1 | 0.0 | -2.2 | 5.6 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | Α | 70.2 | 0.0 | -2.9 | 4.8 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 68.2 | 0.0 | -2.8 | 4.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 69.4 | 0.0 | -3.0 | 4.8 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 67.0 | 0.0 | -2.4 | 4.8 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | Α | 70.6 | 0.0 | -3.1 | 4.8 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 66.1 | 0.0 | -2.2 | 5.2 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 66.6 | 0.0 | -2.1 | 0.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 66.7 | 0.0 | -2.3 | 4.8 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 67.4 | 0.0 | -2.6 | 4.8 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 71.2 | 0.0 | -3.1 | 4.8 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | Α | 71.4 | 0.0 | -3.1 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 70.9 | 0.0 | -3.0 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 71.4 | 0.0 | -3.1 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 71.5 | 0.0 | -3.1 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637759.9 | 4750453.0 | 168.5 | 0 | 83 | 22.2 | А | 65.1 | 0.0 | -0.6 | 17.2 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637863.2 | 4750446.0 | 168.5 | 0 | 83 | 16.1 | А | 63.8 | 0.0 | -1.4 | 14.6 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637893.8 | 4750444.0 | 168.5 | 0 | 83 | 13.2 | А | 63.4 | 0.0 | -1.3 | 12.5 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637931.4 | 4750428.2 | 168.5 | 0 | 83 | 13.5 | А | 62.6 | 0.0 | -0.9 | 15.5 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637948.1 | 4750412.8 | 168.5 | 0 | 83 | 13.6 | А | 62.1 | 0.0 | -0.6 | 18.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 66.7 | 0.0 | -1.6 | 6.3 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 63.0 | 0.0 | -1.2 | 13.3 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 62.3 | 0.0 | -0.5 | 19.6 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 62.2 | 0.0 | -0.8 | 14.9 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 67.1 | 0.0 | -0.1 | 4.3 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 72.6 | 0.0 | -3.3 | 4.8 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 72.7 | 0.0 | -2.8 | 4.7 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |

Receiver: R08 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|------|------|-----|------|------|------|------|-------|------|-----|-----|----|
| Day | 44 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | Z | | | | | | | | | | | | | | | |
| 2-Storey | R08 | 638104.79 m | 4750104.26 m | 188.62 m | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | Freq | Adiv | | Agr | Abar | Aatm | Afol | Ahous | Cmet | Dc | | |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | А | 63.1 | 0.0 | -1.7 | 12.6 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_HwyTruck | Highway Trucks | 638022.8 | 4750794.7 | 167.4 | 0 | 78 | 23.7 | Α | 67.8 | 0.0 | -1.8 | 6.7 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 69.0 | 0.0 | -3.1 | 12.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 64.9 | 0.0 | -2.2 | 5.7 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 70.3 | 0.0 | -2.9 | 4.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 68.4 | 0.0 | -2.8 | 4.8 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 69.6 | 0.0 | -2.9 | 4.8 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 67.3 | 0.0 | -2.3 | 4.8 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 70.8 | 0.0 | -3.0 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 66.5 | 0.0 | -2.2 | 5.2 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 66.9 | 0.0 | -2.1 | 0.0 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 67.0 | 0.0 | -2.2 | 4.8 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 67.7 | 0.0 | -2.6 | 4.8 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 71.3 | 0.0 | -3.0 | 4.8 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 71.6 | 0.0 | -3.1 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 71.0 | 0.0 | -3.0 | 4.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638809.5 | 4750894.3 | 171.3 | 0 | 78 | 15.4 | А | 71.5 | 0.0 | -3.0 | 4.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638800.5 | 4750923.8 | 171.3 | 0 | 78 | 14.7 | А | 71.6 | 0.0 | -3.1 | 4.8 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637761.9 | 4750452.9 | 168.5 | 0 | 83 | 22.3 | А | 64.8 | 0.0 | -0.6 | 17.5 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_OffRoad | Off-Road Trucks | 637866.0 | 4750445.8 | 168.5 | 0 | 83 | 15.8 | А | 63.4 | 0.0 | -1.3 | 15.1 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637894.6 | 4750443.9 | 168.5 | 0 | 83 | 12.8 | А | 63.0 | 0.0 | -1.3 | 13.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 62.1 | 0.0 | -0.8 | 17.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 66.4 | 0.0 | -1.6 | 6.7 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_OffRoad | Off-Road Trucks | 637908.8 | 4750441.4 | 168.5 | 0 | 83 | 10.0 | А | 62.8 | 0.0 | -1.2 | 13.6 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637918.3 | 4750437.7 | 168.5 | 0 | 83 | 10.1 | А | 62.7 | 0.0 | -1.1 | 14.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 61.9 | 0.0 | -0.4 | 20.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 61.9 | 0.0 | -0.7 | 15.3 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 66.8 | 0.0 | -0.1 | 4.3 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 72.7 | 0.0 | -3.2 | 4.8 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| A02 2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 72.8 | 0.0 | -2.8 | 4.7 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |

Receiver: R09 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 43 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Church | R09 | 637980.86 m | 4750087.59 m | 186.01 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637921.0 | 4750458.4 | 167.4 | 0 | 78 | 21.5 | А | 62.5 | 0.0 | -0.2 | 14.2 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 638005.7 | 4750770.0 | 167.4 | 0 | 78 | 24.7 | А | 67.7 | 0.0 | -0.1 | 9.5 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750544.9 | 167.4 | 0 | 78 | 14.8 | А | 64.5 | 0.0 | -0.7 | 6.9 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 65.0 | 0.0 | -0.8 | 5.4 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 71.0 | 0.0 | -1.1 | 4.2 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 69.7 | 0.0 | -0.7 | 4.1 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 70.6 | 0.0 | -0.8 | 4.1 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 71.7 | 0.0 | -1.0 | 4.2 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 68.8 | 0.0 | -0.5 | 4.1 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 68.2 | 0.0 | -0.3 | 4.6 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 68.5 | 0.0 | -0.3 | 4.0 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 68.6 | 0.0 | -0.3 | 4.0 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 69.0 | 0.0 | -0.7 | 4.1 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 72.0 | 0.0 | -1.1 | 4.2 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 72.3 | 0.0 | -1.1 | 4.2 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 71.7 | 0.0 | -1.1 | 4.2 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637755.7 | 4750453.3 | 168.5 | 0 | 83 | 22.0 | А | 63.7 | 0.0 | 0.8 | 15.8 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_OffRoad | Off-Road Trucks | 637850.5 | 4750446.9 | 168.5 | 0 | 83 | 15.1 | А | 62.7 | 0.0 | 1.0 | 14.7 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637879.8 | 4750444.9 | 168.5 | 0 | 83 | 14.3 | А | 62.4 | 0.0 | 0.6 | 15.4 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 61.5 | 0.0 | 0.9 | 17.4 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 65.1 | 0.0 | 0.3 | 9.8 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 62.1 | 0.0 | 0.6 | 15.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 61.0 | 0.0 | 0.7 | 20.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 61.2 | 0.0 | 0.5 | 15.3 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 65.4 | 0.0 | 1.4 | 3.3 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 73.4 | 0.0 | -0.3 | 3.9 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 73.5 | 0.0 | -0.6 | 3.8 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |

Receiver: R10 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 43 | | | | | | | | | | | | | | | | | | |
| | | _ | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R10 | 637946.77 m | 4750082.07 m | 185.75 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637926.4 | 4750451.9 | 167.4 | 0 | 78 | 20.9 | А | 62.4 | 0.0 | -0.1 | 15.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_HwyTruck | Highway Trucks | 638000.0 | 4750761.8 | 167.4 | 0 | 78 | 25.0 | Α | 67.7 | 0.0 | -0.1 | 10.7 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 64.3 | 0.0 | -0.5 | 10.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_HwyTruck | Highway Trucks | 637874.2 | 4750566.0 | 167.4 | 0 | 78 | 11.2 | Α | 64.8 | 0.0 | -0.7 | 7.5 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_HwyTruck | Highway Trucks | 637882.2 | 4750585.8 | 167.4 | 0 | 78 | 14.7 | А | 65.1 | 0.0 | -0.8 | 5.6 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 71.2 | 0.0 | -1.1 | 4.2 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 70.0 | 0.0 | -0.7 | 4.1 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 70.9 | 0.0 | -0.7 | 4.1 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | Α | 71.9 | 0.0 | -0.9 | 4.1 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 69.2 | 0.0 | -0.5 | 4.1 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638688.9 | 4750227.5 | 181.9 | 0 | 78 | 16.4 | А | 68.6 | 0.0 | -0.3 | 4.5 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638722.3 | 4750200.5 | 184.4 | 0 | 78 | 16.3 | А | 68.9 | 0.0 | -0.2 | 4.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 72.2 | 0.0 | -1.1 | 4.2 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638695.2 | 4750331.9 | 177.4 | 0 | 78 | 15.2 | А | 68.9 | 0.0 | -0.3 | 4.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | А | 69.4 | 0.0 | -0.6 | 4.1 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 72.5 | 0.0 | -1.1 | 4.2 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638649.6 | 4750940.4 | 170.5 | 0 | 78 | 16.1 | А | 71.9 | 0.0 | -1.1 | 4.2 | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637745.4 | 4750454.0 | 168.5 | 0 | 83 | 21.4 | Α | 63.5 | 0.0 | 0.6 | 14.4 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 64.7 | 0.0 | 0.3 | 9.7 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 61.6 | 0.0 | 0.9 | 17.5 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 62.1 | 0.0 | 0.6 | 15.1 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 61.0 | 0.0 | 0.7 | 20.2 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 61.3 | 0.0 | 0.5 | 15.3 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | Α | 65.1 | 0.0 | 1.4 | 3.3 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 73.6 | 0.0 | -0.3 | 3.9 | 5.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 34 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | Α | 73.7 | 0.0 | -0.6 | 3.8 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |

Receiver: R11 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 42 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| 2-Storey | R11 | 637445.04 m | 4750192.59 m | 187.50 m | i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | |
| D13_HwyTruck | Highway Trucks | 637988.4 | 4750745.0 | 167.4 | 0 | 78 | 25.5 | А | 68.8 | 0.0 | -3.2 | 4.8 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_HwyTruck | Highway Trucks | 637902.7 | 4750480.3 | 167.4 | 0 | 78 | 19.8 | А | 65.7 | 0.0 | -2.3 | 8.5 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 65.8 | 0.0 | -2.7 | 6.8 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 66.3 | 0.0 | -2.8 | 5.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 73.3 | 0.0 | -3.0 | 9.5 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638702.7 | 4750495.8 | 175.5 | 0 | 78 | 17.9 | А | 73.2 | 0.0 | -2.4 | 4.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638726.6 | 4750558.0 | 173.5 | 0 | 78 | 18.6 | А | 73.5 | 0.0 | -2.5 | 5.0 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 73.8 | 0.0 | -2.8 | 5.0 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638779.0 | 4750790.4 | 170.8 | 0 | 78 | 20.8 | А | 74.3 | 0.0 | -2.8 | 4.9 | 5.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | Α | 73.0 | 0.0 | -2.0 | 4.7 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 74.3 | 0.0 | -3.0 | 5.0 | 5.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637733.7 | 4750454.8 | 168.5 | 0 | 83 | 20.6 | А | 62.8 | 0.0 | -1.7 | 12.2 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_OffRoad | Off-Road Trucks | 637847.3 | 4750447.1 | 168.5 | 0 | 83 | 20.6 | А | 64.6 | 0.0 | -1.8 | 10.7 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 60.9 | 0.0 | -1.5 | 15.2 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 65.1 | 0.0 | -0.2 | 19.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 65.5 | 0.0 | -0.8 | 14.4 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 59.6 | 0.0 | -0.2 | 7.6 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 75.7 | 0.0 | -3.0 | 6.5 | 6.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 75.8 | 0.0 | -2.5 | 5.7 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |

Receiver: R12 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|------|------|-----|------|------|------|------|-------|------|-----|-----|----|
| Day | 42 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R12 | 637469.49 m | 4750313.27 m | 184.50 m | ı | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | X | | Z | Refl. | Lw | L/A | Freq | Adiv | K0 | Agr | Abar | Aatm | Afol | Ahous | Cmet | Dc | RL | Lr |
| D13_HwyTruck | Highway Trucks | 637938.1 | 4750672.2 | 167.4 | 0 | 78 | 22.5 | А | 66.4 | 0.0 | -2.0 | 7.8 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 638038.7 | 4750817.7 | 167.4 | 0 | 78 | 22.5 | Α | 68.6 | 0.0 | -2.0 | 6.0 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_HwyTruck | Highway Trucks | 637905.8 | 4750476.6 | 167.4 | 0 | 78 | 20.2 | А | 64.4 | 0.0 | -1.8 | 10.1 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 64.3 | 0.0 | -1.9 | 10.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 64.8 | 0.0 | -1.9 | 9.4 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 57.3 | 0.0 | -0.3 | 15.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_OffRoad | Off-Road Trucks | 637733.7 | 4750454.8 | 168.5 | 0 | 83 | 20.6 | А | 60.5 | 0.0 | -1.0 | 12.7 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_OffRoad | Off-Road Trucks | 637847.3 | 4750447.1 | 168.5 | 0 | 83 | 20.6 | А | 63.1 | 0.0 | -1.1 | 10.8 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 64.0 | 0.0 | 0.1 | 22.8 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 64.5 | 0.0 | -0.5 | 18.3 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 55.0 | 0.0 | 0.6 | 11.2 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 39 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 75.3 | 0.0 | -0.6 | 12.0 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 75.4 | 0.0 | -0.9 | 8.7 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |

Receiver: R13 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 45 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| 2-Storey | R13 | 637431.99 m | 4750418.81 m | 188.50 m | I. | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637938.1 | 4750672.2 | 167.4 | 0 | 78 | 22.5 | А | 66.1 | 0.0 | -3.6 | 4.9 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| D13_HwyTruck | Highway Trucks | 638038.7 | 4750817.7 | 167.4 | 0 | 78 | 22.5 | А | 68.2 | 0.0 | -3.8 | 4.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_HwyTruck | Highway Trucks | 637926.1 | 4750452.3 | 167.4 | 0 | 78 | 18.4 | А | 64.9 | 0.0 | -3.6 | 5.2 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_HwyTruck | Highway Trucks | 637887.9 | 4750498.1 | 167.4 | 0 | 78 | 17.0 | А | 64.3 | 0.0 | -3.5 | 5.5 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 64.2 | 0.0 | -3.5 | 5.6 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 64.6 | 0.0 | -3.5 | 5.4 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 72.6 | 0.0 | -4.1 | 10.1 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638714.4 | 4750526.3 | 174.5 | 0 | 78 | 21.0 | А | 73.2 | 0.0 | -3.8 | 4.8 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 73.5 | 0.0 | -3.8 | 4.9 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 74.0 | 0.0 | -3.9 | 4.8 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638693.6 | 4750404.1 | 178.8 | 0 | 78 | 17.3 | А | 73.0 | 0.0 | -3.8 | 4.8 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 74.1 | 0.0 | -4.1 | 4.8 | 5.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637588.9 | 4750437.7 | 168.5 | 0 | 83 | 13.4 | А | 55.0 | 0.0 | -1.1 | 21.7 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| D13_OffRoad | Off-Road Trucks | 637638.2 | 4750449.4 | 168.5 | 0 | 83 | 19.0 | А | 57.4 | 0.0 | -1.8 | 13.7 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| D13_OffRoad | Off-Road Trucks | 637698.9 | 4750457.1 | 168.5 | 0 | 83 | 16.4 | А | 59.6 | 0.0 | -2.1 | 10.4 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_OffRoad | Off-Road Trucks | 637812.5 | 4750449.5 | 168.5 | 0 | 83 | 22.6 | А | 62.6 | 0.0 | -2.9 | 6.6 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| D13_OffRoad | Off-Road Trucks | 637928.7 | 4750430.6 | 168.5 | 0 | 83 | 11.8 | А | 64.9 | 0.0 | -3.3 | 5.1 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_OffRoad | Off-Road Trucks | 637945.4 | 4750415.2 | 168.5 | 0 | 83 | 14.8 | А | 65.2 | 0.0 | -3.2 | 16.9 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 64.7 | 0.0 | -3.3 | 5.2 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 64.6 | 0.0 | -2.4 | 22.0 | 2.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 37 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 65.0 | 0.0 | -3.1 | 16.3 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 54.3 | 0.0 | -0.7 | 11.6 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 41 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 75.3 | 0.0 | -4.0 | 6.2 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 75.4 | 0.0 | -3.6 | 5.6 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |

Receiver: R14 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 42 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R14 | 637452.56 m | 4750599.26 m | 184.50 m | I | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | |
| D13_HwyTruck | Highway Trucks | 637938.1 | 4750672.2 | 167.4 | 0 | 78 | 22.5 | А | 64.8 | 0.0 | -1.9 | 9.2 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_HwyTruck | Highway Trucks | 638038.7 | 4750817.7 | 167.4 | 0 | 78 | 22.5 | А | 66.9 | 0.0 | -2.0 | 7.2 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | А | 64.7 | 0.0 | -1.9 | 9.1 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 63.5 | 0.0 | -1.9 | 10.3 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 63.6 | 0.0 | -1.9 | 10.2 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 73.6 | 0.0 | -1.8 | 7.7 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 73.3 | 0.0 | -1.7 | 8.4 | 4.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 73.0 | 0.0 | -1.4 | 7.9 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| D13_OffRoad | Off-Road Trucks | 637733.7 | 4750454.8 | 168.5 | 0 | 83 | 20.6 | А | 61.0 | 0.0 | -1.0 | 11.9 | 1.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_OffRoad | Off-Road Trucks | 637847.3 | 4750447.1 | 168.5 | 0 | 83 | 20.6 | А | 63.5 | 0.0 | -1.4 | 9.7 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 58.3 | 0.0 | -0.3 | 14.3 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 65.3 | 0.0 | -1.5 | 8.2 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 64.8 | 0.0 | -1.5 | 8.7 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 65.0 | 0.0 | -1.9 | 20.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 65.3 | 0.0 | -1.6 | 16.7 | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 57.5 | 0.0 | 0.8 | 9.4 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 75.0 | 0.0 | -1.0 | 11.8 | 6.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 75.1 | 0.0 | -1.2 | 8.6 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |

Receiver: R15 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 42 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R15 | 637437.00 m | 4750865.83 m | 184.50 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | |
| D13_HwyTruck | Highway Trucks | 637938.1 | 4750672.2 | 167.4 | 0 | 78 | 22.5 | А | 65.6 | 0.0 | -1.6 | 6.4 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_HwyTruck | Highway Trucks | 638038.7 | 4750817.7 | 167.4 | 0 | 78 | 22.5 | А | 66.6 | 0.0 | -1.3 | 5.2 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_HwyTruck | Highway Trucks | 638201.8 | 4750891.9 | 167.4 | 0 | 78 | 23.5 | А | 68.7 | 0.0 | -1.4 | 4.4 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_HwyTruck | Highway Trucks | 637918.8 | 4750461.0 | 167.4 | 0 | 78 | 21.7 | А | 67.0 | 0.0 | -1.8 | 5.9 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 65.4 | 0.0 | -1.8 | 7.3 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 65.7 | 0.0 | -1.8 | 7.0 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 71.7 | 0.0 | -1.5 | 9.2 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | Α | 73.6 | 0.0 | -1.5 | 4.4 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 73.5 | 0.0 | -1.5 | 4.4 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 73.4 | 0.0 | -1.5 | 4.4 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 73.6 | 0.0 | -1.6 | 4.5 | 5.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | Α | 73.1 | 0.0 | -1.5 | 4.5 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637790.5 | 4750450.9 | 168.5 | 0 | 83 | 23.6 | А | 65.7 | 0.0 | -1.2 | 6.2 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | Α | 64.3 | 0.0 | -0.6 | 7.4 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| D13_OffRoad | Off-Road Trucks | 637939.8 | 4750420.4 | 168.5 | 0 | 83 | 16.6 | А | 67.5 | 0.0 | -1.4 | 5.3 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25 |
| D13_OffRoad | Off-Road Trucks | 637913.6 | 4750439.5 | 168.5 | 0 | 83 | 13.1 | А | 67.1 | 0.0 | -1.4 | 5.5 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 22 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 67.5 | 0.0 | -1.9 | 19.7 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | Α | 67.6 | 0.0 | -1.4 | 5.0 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | А | 64.3 | 0.0 | 1.2 | 4.2 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 35 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | Α | 74.9 | 0.0 | -0.7 | 6.0 | 6.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 75.0 | 0.0 | -1.0 | 5.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |

Receiver: R16 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|---------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 39 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Bungalo | R16 | 638114.39 m | 4751076.42 m | 183.64 m | i i | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637938.1 | 4750672.2 | 167.4 | 0 | 78 | 22.5 | А | 63.9 | 0.0 | -1.9 | 11.1 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_HwyTruck | Highway Trucks | 638013.6 | 4750781.4 | 167.4 | 0 | 78 | 19.5 | А | 60.9 | 0.0 | -1.7 | 13.7 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638063.9 | 4750854.1 | 167.4 | 0 | 78 | 19.5 | А | 58.2 | 0.0 | -1.4 | 15.7 | 1.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_HwyTruck | Highway Trucks | 638117.2 | 4750890.9 | 167.4 | 0 | 78 | 17.5 | Α | 56.4 | 0.0 | -1.2 | 16.8 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638173.6 | 4750891.6 | 167.4 | 0 | 78 | 17.5 | А | 56.8 | 0.0 | -1.3 | 16.7 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |
| D13_HwyTruck | Highway Trucks | 638258.2 | 4750892.6 | 167.4 | 0 | 78 | 20.5 | А | 58.4 | 0.0 | -0.2 | 21.4 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 65.8 | 0.0 | -2.0 | 9.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | Α | 66.4 | 0.0 | -2.1 | 8.9 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638571.9 | 4750930.6 | 170.5 | 0 | 78 | 20.9 | А | 64.6 | 0.0 | -0.8 | 15.9 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| A02_HwyTruck | Highway Trucks | 638451.9 | 4750934.5 | 170.4 | 0 | 78 | 20.7 | А | 62.3 | 0.0 | -0.3 | 19.5 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638776.1 | 4750782.2 | 170.7 | 0 | 78 | 20.1 | А | 68.2 | 0.0 | -1.4 | 12.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638744.0 | 4750624.8 | 171.9 | 0 | 78 | 18.3 | А | 68.8 | 0.0 | -1.5 | 10.7 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 15 |
| A02_HwyTruck | Highway Trucks | 638753.6 | 4750696.1 | 170.9 | 0 | 78 | 18.9 | А | 68.4 | 0.0 | -1.4 | 11.2 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638701.3 | 4750950.4 | 170.6 | 0 | 78 | 18.4 | А | 66.6 | 0.0 | -1.2 | 12.5 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | Α | 69.2 | 0.0 | -1.5 | 10.7 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638764.1 | 4750942.4 | 170.9 | 0 | 78 | 17.6 | А | 67.4 | 0.0 | -1.3 | 11.4 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 70.1 | 0.0 | -1.5 | 6.3 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 19 |
| A02_HwyTruck | Highway Trucks | 638691.8 | 4750449.4 | 177.9 | 0 | 78 | 15.6 | Α | 69.6 | 0.0 | -1.5 | 6.5 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637681.3 | 4750458.3 | 168.5 | 0 | 83 | 9.5 | Α | 68.6 | 0.0 | -1.5 | 6.0 | 3.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637795.0 | 4750450.6 | 168.5 | 0 | 83 | 23.4 | A | 67.9 | 0.0 | -1.6 | 7.1 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 30 |
| D13_OffRoad | Off-Road Trucks | 637627.6 | 4750446.9 | 168.5 | 0 | 83 | 20.1 | А | 69.0 | 0.0 | -1.5 | 5.5 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 68.0 | 0.0 | -1.1 | 20.8 | 3.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 67.8 | 0.0 | -0.3 | 19.7 | 2.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | A | 69.5 | 0.0 | -0.3 | 4.1 | 3.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 70.0 | 0.0 | -0.8 | 14.6 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 29 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | Α | 70.1 | 0.0 | -1.0 | 11.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |

Receiver: R17 Project: Law Quarry Extension Project Number: 17132.02

| Time Period | Total (dBA) | | | | | | | | | | | | | | | | | | |
|----------------|--------------------------|-------------|--------------|----------|-------|-----|------|---|------|-----|------|------|-----|-----|-----|------|-----|-----|----|
| Day | 40 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Receiver Name | Receiver ID | | | | | | | | | | | | | | | | | | |
| Raised Bungalo | R17 | 637524.61 m | 4749965.00 m | 185.31 m | I | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Source ID | Source Name | | | | Refl. | Lw | L/A | | Adiv | | Agr | | | | | Cmet | Dc | | Lr |
| D13_HwyTruck | Highway Trucks | 637988.4 | 4750745.0 | 167.4 | 0 | 78 | 25.5 | А | 70.2 | 0.0 | -2.2 | 4.7 | 3.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 27 |
| D13_HwyTruck | Highway Trucks | 637871.8 | 4750538.6 | 167.4 | 0 | 78 | 16.3 | А | 67.5 | 0.0 | -1.7 | 5.3 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| D13_HwyTruck | Highway Trucks | 637879.7 | 4750579.6 | 167.4 | 0 | 78 | 16.3 | А | 68.0 | 0.0 | -1.8 | 4.8 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 21 |
| A02_HwyTruck | Highway Trucks | 638512.6 | 4750932.5 | 170.4 | 0 | 78 | 23.8 | А | 73.8 | 0.0 | -1.9 | 4.7 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20 |
| A02_HwyTruck | Highway Trucks | 638715.6 | 4750529.5 | 174.4 | 0 | 78 | 21.2 | А | 73.4 | 0.0 | -1.6 | 4.6 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638749.1 | 4750663.0 | 171.4 | 0 | 78 | 21.6 | А | 74.0 | 0.0 | -1.9 | 4.6 | 5.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638784.5 | 4750805.6 | 170.9 | 0 | 78 | 21.8 | А | 74.6 | 0.0 | -2.2 | 4.6 | 5.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 18 |
| A02_HwyTruck | Highway Trucks | 638694.6 | 4750389.6 | 178.4 | 0 | 78 | 19.2 | А | 72.9 | 0.0 | -1.5 | 4.6 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 17 |
| D13_OffRoad | Off-Road Trucks | 637790.5 | 4750450.9 | 168.5 | 0 | 83 | 23.6 | А | 65.9 | 0.0 | -0.9 | 10.7 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 28 |
| D13_OffRoad | Off-Road Trucks | 637585.1 | 4750436.7 | 168.5 | 0 | 83 | 11.4 | А | 64.5 | 0.0 | -0.6 | 11.9 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16 |
| D13_OffRoad | Off-Road Trucks | 637634.3 | 4750448.5 | 168.5 | 0 | 83 | 19.4 | А | 64.9 | 0.0 | -0.8 | 11.3 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_Plant | Processing Plant | 637910.5 | 4750397.0 | 168.5 | 0 | 125 | 0.0 | А | 66.3 | 0.0 | 0.1 | 21.7 | 3.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 33 |
| D13_SFEL | Shipping Loaders | 637932.4 | 4750408.6 | 167.4 | 0 | 110 | 0.0 | А | 66.6 | 0.0 | -0.1 | 14.3 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 |
| D13_FEL | Single Extraction Loader | 637578.1 | 4750428.1 | 178.5 | 0 | 107 | 0.0 | A | 64.4 | 0.0 | 0.5 | 4.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36 |
| A02_WashPlant | Wash Plant | 638995.8 | 4750932.9 | 172.0 | 0 | 117 | 0.0 | А | 75.9 | 0.0 | -2.2 | 4.6 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 32 |
| A02_2FEL | Wash Plant Loaders | 639011.0 | 4750946.1 | 171.4 | 0 | 110 | 0.0 | А | 76.0 | 0.0 | -1.6 | 4.3 | 4.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23 |

Appendix D Qualifications of the Authors





 Aercoustics Engineering Ltd.
 1004 Middlegate Road, Suite 1100
 Fax 416-249-3613

 Ministration ON L4Y 0G1
 aercoustics.com

Derek Flake M.Sc., P.Eng.

Profile

Derek is an employee of Aercoustics Engineering Limited, an engineering consulting company specializing in acoustics, noise and vibration. Prior to that, he worked for several years at another acoustics, noise and vibration firm and he completed a Master of Science in the field of ultrasound transducer design. Derek is a Professional Engineer with the Professional Engineers Ontario.

Derek has been recognized by the Local Planning Appeal Tribunal (LPAT) and previously by the Ontario Municipal Board (OMB) as an expert in environmental noise and has provided expert opinion testimony to the Board and in civil litigation.

Employment History

| 2012 – Present | Acoustical Engineer, | Aercoustics E | Enaineerina Limited |
|----------------|----------------------|---------------|---------------------|
| | J , | | 3 - |

2009 - 2012Engineering Intern, Jade Acoustics Incorporated

Additional Activities / Committees

| 2019 – Present | | of Directors and Chair of the Membership & Waste Management Association (A&WMA) |
|-----------------------|--|--|
| 2018 – Present | Member of Environme Gravel Association (C | ent Committee at the Ontario Sand, Stone and OSSGA) |
| 2014 – Present | | and Development Committee at the Ontario vel Association (OSSGA) |
| Education | | |
| Master of Science (M | .Sc.) | Medical Biophysics (Ultrasound Physics) University of Toronto |
| Bachelor of Applied S | cience (B.A.Sc.) | Engineering Physics (Mechanical) |

Queen's University

Professional Registration / Affiliations

Licensed Professional Engineer with the Professional Engineers of Ontario (PEO)

Courses and Speaking Events

Instructor, Municipal Law Enforcement Officers' Association (MLEOA) Environmental Noise training courses. This is an annual four-day training program which provides the officers with an understanding of sound measurement and its relationship with environmental noise impact. The officer is trained in the utilization of technical equipment required in the application of sound measurement theories. This course also covers the unique elements of qualitative noise regulations and is authorized by the Ministry of the Environment and Climate Change.

Speaker, "Overview of Noise & Vibration Issues in Land-Use Planning", A&WMA OS Environment Issues in Land-Use Planning, Guelph, October 30, 2019.

Attended A&WMA Course "Consultant Liability and Expert Witness Testimony", Guelph, 2019.

Speaker, "Environmental Noise: Modelling Techniques to Quiet your Acoustic Troubles", ACE 2019, Quebec City, 2019.

Attended PSMJ Resources Project Management Bootcamp, Toronto, 2016.

Attended OSSGA Health and Safety Seminar courses "Aggregates 101" and "Aggregates 201", Toronto, 2015. Mr. Flake both attended and aided in the development for parts of the course.

Speaker, "*The New NPC-300 Noise Guideline: What does it mean for your noise by-law?*" MLEOA Annual General Meeting, Kingston, 2014.

Professional Activities

Land Use Planning

In the field of environmental acoustics, Mr. Flake has completed numerous projects involving noise impact from planned stationary sources as well as noise impact studies for proposed new noise sensitive uses. These projects included conducting studies for proposed operations and developments and addressing noise concerns for existing operations. Peer reviews of noise studies prepared by other acoustic consultants were also conducted by Mr. Flake. In the land use planning process, Mr. Flake has completed studies which provide assessments of the noise impact on proposed residential, commercial, institutional and industrial developments from the local environment which includes noise from road, rail, and aircraft traffic and stationary noise sources such as industrial and commercial uses. Also, vibration measurements and studies were conducted to assess vibration from rail traffic such as trains, streetcars and subways. The studies include recommendations for noise control of the sources, dwelling building components, wall, window, and door constructions to satisfy the Ministry of Environment, Conservation and Parks noise guidelines.



In addition, Mr. Flake has conducted architectural drawing reviews and provided design advice for residential and commercial developments. These have ensured the construction plans will meet the municipal and Ontario Building Code requirements.

Environmental Compliance Approvals & EASR

Mr. Flake was involved in noise and vibration impact studies for industrial, institutional and commercial uses. He has prepared Acoustic Assessment Reports for use in applications for Environmental Compliance Approvals (ECA) and the Environmental Activity & Sector Registry (EASR). These studies provided conceptual as well as detailed designs of noise mitigation to reduce in-plant noise or noise emission into the environment. In-plant projects generally involved noise surveys, detailed noise and vibration measurements of equipment, data analysis and computer modelling of noise controls to evaluate effectiveness. In some cases, detailed designs and specifications have been provided. Mr. Flake has a good record of submitting applications that are accepted as fully complete according to MECP records.

Aggregates

Mr. Flake has done work in the aggregates industry which involved the preparation and support of noise impact studies to determine technical feasibility of aggregate licence applications to the Ministry of Natural Resources & Forestry. This work included preparing the noise impact studies, supporting the findings at public meetings, and performing acoustic audits to confirm compliance with the noise requirements.

Mining

Mr. Flake has acted as a third-party peer reviewer for the City of Timmins, overseeing all aspects of environmental compliance (including acoustics, noise & vibration) for the Hollinger Pit Open Mine in Timmins.

Acoustic Audits were also conducted at Goldcorp's Red Lake Balmerton & Cochenour sites.

Renewable Energy

Mr. Flake has performed IEC 61400 testing of Wind Turbines and Transformer Station noise audits.

Noise Source Investigations and Room Acoustics

Mr. Flake has completed several projects involving design of spaces where sound privacy and room acoustics were critical. These projects have included noise complaint investigation, room acoustics, mechanical noise, noise measurements to quantify sound isolation, and environmental noise impact. Examples of spaces include cinemas, offices, hospitals and residential condominiums.





Aercoustics Engineering Ltd.Tel: 416-249-33611004 Middlegate Road, Suite 1100Fax 416-249-3613Mississauga, ON L4Y 0G1aercoustics.com

Kohl Clark B.Eng.

Profile

Kohl Clark is an Engineer in Training (EIT) in the Province of Ontario and holds a Bachelor's degree in Mechanical Engineering from McMaster University. He has 4 years of experience in the field of Acoustics and has been involved in different aspects of environmental noise and vibration.

Education + career milestones

B.Eng., Mechanical Engineering, McMaster University, June 2016 joined Aercoustics full time in 2016 as a noise and vibration consultant. Member of Professional Engineers of Ontario.

Selected projects

Noise modelling and assessment

Oshawa Asphalt Plant Oshawa, ON **Coleraine Drive Asphalt Plant Derry Heights Commercial Development** Rogers 333 Bloor Generator Upgrade Toronto, ON Law Quarry Extension Wainfleet, ON Greely Quarry **Bury Road Quarry** Yellow Lake Solar Project Yellow Lake, AB Burdett Solar Project Foremost, AB Loblaws Supermarkets Various locations within Canada

Industrial noise measurements and compliance verification

Lafarge Bath Cement Plant Headwaters Wind Farm Smiths Falls 2 Solar Farm Snowy Ridge Wind Farm Port Ryerse Wind Farm K2 Wind Project Wind Project Belle River Wind Power Project

Bath, ON Randolph County, IN Perth, ON Kawartha Lakes, ON Port Dover, ON Kincardine, ON Belle River, ON

Bolton, ON

Milton, ON

Ottawa, ON

Bruce, ON

End of Report



aercoustics.com